

(19)



Europäisches Patentamt

European Patent Office

Office européen des brevets



(11)

EP 1 136 560 A1

(12)

EUROPEAN PATENT APPLICATION

published in accordance with Art. 158(3) EPC

(43) Date of publication:

26.09.2001 Bulletin 2001/39

(51) Int Cl.7: **C12N 15/82, A01H 5/00**

(21) Application number: **99974093.9**

(86) International application number:

PCT/JP99/05386

(22) Date of filing: **30.09.1999**

(87) International publication number:

WO 01/25459 (12.04.2001 Gazette 2001/15)

(84) Designated Contracting States:

**AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE**

• **KOMARI, Toshihiko, Japan Tobacco Inc.**

Iwata-gun, Sizuoka 438-0802 (JP)

• **HIEI, Yukoh, Japan Tobacco Inc.**

Iwata-gun, Sizuoka 438-0802 (JP)

(71) Applicant: **Japan Tobacco Inc.**

Tokyo 105-8422 (JP)

(74) Representative:

Reinhard - Skuhra - Weise & Partner

Postfach 44 01 51

80750 München (DE)

(72) Inventors:

• **KURAYA, Yoshiki, Japan Tobacco Inc.**

Iwata-gun, Sizuoka 438-0802 (JP)

(54) VECTORS FOR TRANSFORMING PLANTS

(57) Vectors for transforming plants with the use of agrobacteria which have been modified so as to elevate the possibility of the recognition of the border sequences of the vectors by vir proteins of the agrobacteria, thereby lowering the possibility of the transfer of DNAs other than T-DNA into plant chromosomes. More particularly, the above-vectors are those to be used in transforming

plants which have right and left border sequences which can be recognized by the vir proteins of the agrobacteria, a T-DNA sequence which is located between these border sequences and into which a gene to be transferred into plants can be inserted, and a replication origin enabling the replication of the vectors in bacteria, characterized by having a plural number of left border sequences.

EP 1 136 560 A1

D r i p t l n

TECHNICAL FIELD

5 [0001] The present invention relates to plant transformation vectors, more particularly, vectors useful in *Agrobacterium*-mediated plant transformation. The invention further relates to a method of transforming plants using the vectors. The invention is particularly useful for generating transgenic plants that may be taken as food.

BACKGROUND ART

10 [0002] It has long been known that *Agrobacterium* (*Agrobacterium tumefaciens*), is a soil bacterium which causes Crown gall disease in many dicotyledonous plants. In the ninety-seventies, it was found that the Ti plasmid of *Agrobacterium* is involved in pathogenicity and that T-DNA which is part of the Ti plasmid is integrated into the plant genome. It was later revealed that the T-DNA contained the hormone synthesis genes (cytokinins and auxins) necessary for crown gall tumorigenesis and that those genes, although derived from bacteria, are expressed in plants. A group of genes that are located in the virulence region (*Vir* region) of the Ti plasmid are necessary to the excision of T-DNA and its transfer to plants, and furthermore, the border sequences that are located on opposite ends of T-DNA are required for the excision, which are called the right border sequence and the left border sequence. *Agrobacterium rhizogenes*, another *Agrobacterium* species has a similar system involving the Ri plasmid.

20 [0003] Stated more specifically, the proteins produced on the basis of the genes located in the *vir* region (*vir* proteins) recognize the right and left border sequences to integrate the T-DNA located between the border sequences into plant genome. This function provided the basis for the transformation of plants with a foreign gene pre-inserted into T-DNA, thereby giving rise to the development of *Agrobacterium*-mediated plant transformation technology.

25 [0004] Most recently, however, several reports have appeared describing that, in certain kinds of plants, it is sometimes observed that T-DNA is not excised at the border sequences, and hence, T-DNA can be transferred into the plant chromosome together with a region adjacent to T-DNA (Ramanathan et al., Plant Molecular Biology 28, 1149-1154 (1995), and Kononov et al., Plant Journal 11, 945-957 (1997)). If a DNA element other than T-DNA is co-transferred, the resulting transgenic plants will be suspected of having unexpected characteristics, which could have a negative impact on public acceptance of food products made of transgenic plants. It is therefore desired to develop a method whereby it can be ensured that unnecessary non-T-DNA sequences of *Agrobacterium* will not transfer to plant chromosomes.

30 [0005] The inventors supposed that the *vir* proteins of *Agrobacterium* sometimes fail to recognize the border sequences and this may explain the reason why non-T-DNA is transferred into plant chromosome together with T-DNA. No vectors have yet been developed that can suppress or reduce the transfer of non-T-DNA segment with a view to solving said problem.

35 [0006] Based on the above supposition, the inventors have conducted intensive studies for creating vectors for use in *Agrobacterium*-mediated transformation. In order to reduce the probability that non-T-DNA element is transferred to plant chromosome the inventors modified the vector with a view to increasing the efficiency of the *vir* proteins of *Agrobacterium* to recognize the border sequence/s. As a result, it has been found that while two border sequences exist in the transformation vector, the probability of the integration of non-T-DNAs can be reduced by providing a plurality of left border sequences. The present invention has been accomplished on the basis of this finding.

SUMMARY OF THE INVENTION

45 [0007] The present invention provides a plant transformation vector based on the function of *Agrobacterium*, wherein the left border sequence has been modified such as to reduce the possibility of the integration of any non-T-DNA segment into plant chromosomes. More particularly, the invention provides a plant transformation vector comprising a right border sequence and a left border sequence that can be recognized by the *vir* proteins of *Agrobacterium*, a T-DNA region located between these border sequences and into which a gene to be introduced into the plant can be inserted, and a replication origin (*ori*) that enables replication of said vector in bacteria (e.g. *Agrobacterium* and bacteria for vector amplification), wherein said left border sequence has been modified such as to reduce the possibility of integration of any non-T-DNA sequence into plant chromosomes.

BRIEF DESCRIPTION OF THE DRAWINGS

55 [0008]

Fig. 1 shows vector pSLB0 used in the Example; this vector was prepared from pSB11 by modifying it to have

within the T-DNA region a cassette, for expressing the hygromycin resistance gene under control of a ubiquitin promoter and a ubiquitin intron, then inserting a cassette for expressing the GUS gene containing a catalase intron under control of a ubiquitin promoter, at the site recognizable by restriction enzyme *Stu*I; and

Fig. 2 shows maps of the areas of vectors pSLB0, pSLB2 and pSLB3 in the neighborhood of the left border sequence (which is hereunder sometimes referred to as LB). To prepare pSLB2 and pSLB3, a synthetic DNA fragment having two or three left border sequences was inserted into pSLB0 between LB and the GUS expressing cassette at the restriction site of *Pvu*II. In pSLB2, two left border sequences were inserted by the synthetic DNA fragment (the inserted left border sequence/s is hereunder referred to as sLB) to give a total of three LBs, and in pSLB3, three sLBs were inserted by the synthetic DNA fragment to give a total of four LBs.

DETAILED DESCRIPTION OF THE INVENTION

(1) Vector preparation

[0009] The vector of the invention has the left border sequence modified to operate such as to reduce the possibility of the integration of an unnecessary DNA sequence/s, i.e. a non-T-DNA sequence/s into plant chromosomes. In a preferred embodiment, the invention provides the vectors having the left border sequence modified such as to comprise the placement of more than one DNA sequence that can be recognized by *vir* proteins (e.g. a known left border sequence).

[0010] DNA fragments comprising more than one left border sequence can be prepared by various known methods on the basis of known border sequences. For example, one can synthesize a single-stranded DNA molecule having the same sequence as a left border sequence which is contained in an available Ti plasmid, prepare the double-stranded DNA molecule from the single strand, and if necessary, link two or more of such double-stranded DNAs together. The obtained DNA fragment can be then inserted into a plant transformation vector at a suitable restriction site nearby up/downstream of the existing left border sequence located downstream of the T-DNA region. In this way, the vector of the invention can be easily constructed.

[0011] The plant transformation vector from which the vector of the invention can be prepared by modifying its left border sequence should at least have a right and a left border sequences that can be recognized by *vir* proteins, a T-DNA sequence located between the right and left border sequences and into which can be inserted a gene to be introduced into the plant, and a replication origin that can operate in bacteria for replication of the vector (e.g. *Escherichia coli*). The preferred plant transformation vector has a replication origin that can operate in *Agrobacterium*.

[0012] As long as these requirements are satisfied, various vectors can be modified on the left border sequence. For example, the various vectors used in the following plant transformation methods based on *Agrobacterium* can be modified:

(i) a small intermediate cloning vector having right and left border sequences and which has a foreign gene inserted into T-DNA, and an acceptor Ti plasmid having the *vir* region are subjected to homologous recombination to prepare a hybrid Ti plasmid vector, and the plant is infected with *Agrobacterium* containing the hybrid Ti plasmid vector;

(ii) a foreign gene is inserted into the T-DNA region of a small Ti plasmid having no *vir* region (the plasmid is commonly called a mini plasmid or a micro Ti plasmid and is capable of replication in many bacteria) and the plasmid is introduced into *Agrobacterium* which harbors a plasmid having the *vir* region but no T-DNA, and the plant is infected with the *Agrobacterium* containing the two plasmids;

(iii) a small intermediate cloning vector having a right and a left border sequences and which has an foreign gene inserted into T-DNA, and an acceptor Ti plasmid having a portion of the *vir* region (i.e., *vir* gene lacking a portion of the full length of the *vir* region) are subjected to homologous recombination to prepare a hybrid Ti plasmid vector, the hybrid Ti plasmid vector is introduced into *Agrobacterium* which has the *vir* region (full length) harboring but T-DNA deficient plasmid introduced in it, and the plant is infected with the *Agrobacterium* containing the two plasmids. The various vectors used in these methods can be modified on the left border sequence. Small Ti plasmids with a modification on the left border sequence are easy to handle in operations such as for modifying the foreign gene in T-DNA and hence are a preferred embodiment of the vector of the invention. Examples of such small Ti plasmids include pBI101 and pBI121 (both being available from CLONTECH), as well as pSB11 which was used in the Example to be described later.

[0013] The concept of the invention is applicable not only to the Ti plasmid but also to the Ri plasmid.

[0014] The vector of the invention may contain a marker gene in the T-DNA sequence that permits selection of the transformant, such as an antibiotic resistance gene or a luminescence gene. To be specific, commonly used marker genes may be employed in the usual manner and they include antibiotic resistance genes such as those conferring resistance to tetracycline, ampicillin, kanamycin, neomycin, hygromycin and spectinomycin, and luminescence genes

such as the luciferase gene, β -galactosidase, green fluorescence protein (GFP), β -lactamase and chloramphenicol acetyl transferase (CAT) genes. Besides these genes, the vector may contain another marker gene outside of the T-DNA sequence, preferably downstream of the left border sequences. The marker gene placed in that position is useful for evaluating the effectiveness of the modified border sequences.

[0015] The term "replication origin" as used in this specification means a specific DNA region in which the replication reaction is initiated, commonly called *ori*.

(2) Transformation

[0016] To use the vector of the invention, a foreign gene for the intended transformation is inserted into the T-DNA region. The foreign gene to be inserted usually contains a promoter that can operate in the host plant and the structural gene encoding the characteristic to be conferred to the plant linked downstream of the promoter. If necessary, more than one gene may be linked together and, in addition or alternatively, a sequence for enhancing the efficiency of expression may be interposed between the promoter and the downstream structural gene before insertion into the T-DNA region.

[0017] Before being introduced into a target plant, the vector of the invention which harbors the foreign gene is introduced into a bacterial of *Agrobacterium* species capable of infecting the plant (e.g. *Agrobacterium tumefaciens*). To this end, various methods well known to the skilled artisan can be employed. For example, the vector may be transferred into the *Agrobacterium* by conjugation; if possible, the *Agrobacterium* may be directly transformed with the vector of the invention containing the foreign gene.

[0018] Conventional techniques may be employed to infect the plant with the *Agrobacterium* containing the vector of the invention and they include, for example, wounding part of the plant body and infecting it with the bacterium, infecting the callus with the bacterium, co-cultivating the protoplast and the bacterium, and co-cultivating slices of the leaf tissue together with the bacterium. The transformed cells obtained by these methods can be selected by using the suitable selection marker/s or assaying if they express the intended characteristic. The transformed cells may further be differentiated by the prior art technology to yield a recombinant plant body.

[0019] In order to integrate that T-DNA containing the foreign gene into the chromosomal DNA in the plant, the *vir* region is necessary. The *vir* region may be supplied from the vector having the foreign gene or from a different vector.

[0020] The plant cells transformed with the vector of the invention may be differentiated by the prior art technology to yield a recombinant plant body. The transformed plant may be selected by using a suitable selection marker or assaying if it expresses the intended characteristic.

[0021] Whether a DNA sequence/s unnecessary for the intended transformation has been integrated into plant chromosomes or not can be determined by various methods well known to the skilled artisan. For example, oligonucleotide primers are synthesized on the basis of the vector DNA sequence/s outside the borders and with these primers, PCR is performed to analyze the chromosomal DNA sequences in the transformed plant. In the case of transformation with a vector that contains a marker gene outside the T-DNA sequence, analysis can be done by assaying if the marker gene has been expressed.

[0022] The vector of the invention is characterized by its function to reduce the possibility of the integration of a DNA sequence/s unnecessary for the intended transformation. The term "to reduce the possibility of the integration" means that, compared to the use of a vector which is not modified on the left border sequence, the frequency of the integration of the unnecessary DNA sequence/s into host chromosomes is low, or the length of the integrated unnecessary sequence is short, or there is no such integration and; in addition or alternatively, compared to the use of a vector which is not modified on the left border sequence, the frequency of unintended transformation is low, or unintended transformation is slight, or there is no occurrence of such transformation. The term "DNA sequence unnecessary for the intended transformation" means a portion or fragment of the DNA sequence located outside the T-DNA sequence in the vector (namely, non-T-DNA). It does not matter whether it is functional by itself or encodes a polypeptide or protein.

[0023] Various plants can be transformed by the transforming method of the invention and they include monocotyledonous plants such as maize, sorghum, triticale, barley, oats, rye, wheat, onion and rice, and dicotyledonous plants such as soybean, alfalfa, tobacco, rape, sunflower, potato, pepper and tomato. The method of the invention can reduce the possibility of the integration of a DNA sequence/s unnecessary for the intended transformation into plant chromosomes and the transgenic plants obtained by using the transformation method are less likely to have unexpected characteristics. Therefore, the method of the invention is suitable for transforming plants that can be taken as food by other organisms and regarding which there is particular concern about the possibility that the non-T-DNA sequence/s will transfer into plant chromosomes by *Agrobacterium*-mediated transformation. The method is most suitable for transforming monocotyledonous plants, in particular, rice.

[0024] Unless otherwise noted, the term "plant or plants" as used in the specification covers not only a plant body (individual) but also its seed (germinated or immature), part (leaf, root, stem, flower, stamen, pistil or slices of these), culture cell, callus and protoplast.

ExemplExample 1

5 (1) Preparing vectors

[0025] Plasmid vector pSB11 (Genbank Accession No. AB027256, Komari et al., Plant Journal 10, 165-174 (1966)) was modified to have within the T-DNA region a cassette for expressing the hygromycin resistance gene (HPT) by means of a ubiquitin promoter and a ubiquitin intron (Christensen et al., Plant Molecular Biology 18, 675-689 (1992) and into the plasmid, a cassette for expressing a catalase intron containing GUS gene (Ohta et al., Plant Cell Physiology 31, 805-813 (1990)) by means of a ubiquitin promoter was inserted at the site recognizable by restriction enzyme *Stu*I. The thus prepared plasmid was designated pSLB0 (see Fig. 1 and SEQ ID:NO. 1). The nucleotide sequence of pSLB0 is shown as SEQ ID:NO. 1.

[0026] Then, based on the nucleotide sequence of Ti plasmid pTiAch5 (Genbank Accession No. K00548), a synthetic DNA containing a left border sequence (hereunder abbreviated as LB) and the complementary synthetic DNA were prepared, they were annealed and processed to form blunt ends, and then used to prepare DNA fragments respectively having two and three LB sequences. The nucleotide sequences of the two synthetic DNAs are shown as SEQ ID:NO. 2 and SEQ ID:NO. 3. Each of the DNA fragments was inserted into pSLB0 between LB and the GUS expressing cassette at the site recognized by restriction enzyme *Pvu*II; in this way, vectors were prepared that had more than one LB attached. The vector having two of the LB introduced by the synthetic DNA (which is hereunder sometimes referred to as sLB) to give a total of three LBs was designated pSLB2, and the vector having three sLBs introduced to give a total of four LBs was designated pSLB3 (for the maps of areas of pSLB0, pSLB2 and pSLB3 in the neighborhood of the synthetic LBs, see Fig. 2). Each of these three plasmids was introduced into *Agrobacterium tumefaciens* LBA4404 which already had plasmid vector pSB1 introduced (Genbank Accession No. AB027255, Komari et al., Plant Journal 10, 165-174 (1996)). They were subjected to the following tests.

(2) Transformation

[0027] Calli derived from the immature embryo of rice variety "Asanohikari" were transformed with LBA4404(pSLB0), LBA4404(pSLB2) and LBA4404(pSLB3) in accordance with the method of Hiei et al. (Hiei et al., Plant Journal 6, 271-282 (1994)).

(3) Analysis of the expression of GUS gene in transformants

[0028] Some leaves of the hygromycin-resistant plants obtained in Example 2 were stained with X-Gluc to check for the expression of the GUS gene. Seventeen out of the 340 plant individuals transformed with LBA4404(pSLB0) expressed the GUS gene, indicating that *Agrobacterium* derived DNA outside the border sequences was introduced into 5% of the plant individuals transformed with the conventional vector having only one LB. On the other hand, the number of plant individuals transformed with LBA4404(pSLB2) and LBA4404(pSLB3) and which expressed the GUS gene decreased with the increasing number of synthetic LBs (Table 1). This indicates that the integration of synthetic LBs into the vector decreased the likelihood for DNA beyond the left border sequence to be transferred to the plant.

(4) Analysis of genomic DNA in the individuals not expressing the GUS gene

[0029] In some of the individuals that did not express the GUS gene in (3), DNA beyond the left border sequence may have been introduced into plant chromosomes but not far enough to the ubiquitin promoter for triggering the expression of the GUS gene. To verify this possibility in each group of plants that did not express the GUS gene, about 60 independent transformants were randomly chosen and genomic DNA was extracted and subjected to PCR analysis. The primers used in PCR analysis were so prepared as to permit amplification of the region extending from a location between the inherent LB and the synthetic LB to a location in the GUS gene. The sequences of the primers are shown as SEQ ID:NO. 4 and SEQ ID:NO. 5.

[0030] As a result of the PCR analysis, seven out of the 67 plant individuals (10.4%) transformed with LBA4404 (pSLB0) showed DNA amplification, revealing that when the conventional vector having only one LB was used, *Agrobacterium* derived DNA other than the desired T-DNA was integrated into chromosomes in the created transformants with a frequency of 10.4% of higher. In contrast, DNA amplification was found to take place in none of the plant individuals transformed with LBA4404(pSLB2) and LBA4404(pSLB3) that had synthetic LBs.

[0031] The results are shown in Tables 1 and 2.

Table 1.

Analysis for the Expression of GUS Gene		
Vector	Number of transformants	Percentage of GUS expressing plants
pSLB0	340	5.0
pSLB2	327	1.2
pSLB3	370	0.8

Table 2.

Analysis of Genomic DNA		
Vector	No. of plants from which DNA was extracted	No. of plants in which DNA was amplified by PCR
pSLB0	67	7
pSLB2	55	0
pSLB3	58	0

[0032] As can be seen from the above, the present invention decreased the integration of a DNA sequence/s outside the border sequences in plant chromosomes and made it possible to increase the efficiency of introducing only the intended T-DNA.

[0033] The foregoing description of the invention concerns primarily the use of two or more left border sequences, which may be derived from the same or different species of *Agrobacterium*. It should, however, be stressed that the fundamental concept of the invention lies in modifying the left border sequence in plant transformation vectors such that it can be recognized by *vir* proteins more efficiently to reduce the integration of any unnecessary non-T-DNA sequence to plant chromosomes. Therefore, the present invention embraces all vectors that have the modified left border sequence/s capable of achieving the same result. In addition to the examples described above, the modified left border sequences include the following: (1) those sequences which are derived from the sequence already existing in relevant plasmids by deletion, substitution or addition of one or more nucleotides in the existing left border sequence to be recognized by *vir* proteins more efficiently; (2) those sequences which are derived from the sequence already existing in the plasmid by deletion, substitution or addition of one or more bases in any sequence near the existing left border sequence to be recognized by *vir* proteins more efficiently; (3) those sequences which contain a plurality of any sequences that can be recognized by *vir* proteins; and (4) any combinations of (1) - (3).

SEQUENCE LISTING

<110> Japan Tobacco Inc.

<120> Plant Transformation Vector

<130> YCT-441

<160> 5

<210> 1

<211> 12982

<212> DNA

<400> 1

```

aagcttgcat gccctgcagtg cagcgtgacc cggctcgtgcc cctctctaga galaatgagc   60
atigcatgtc taagttataa aaaattacca catatTTTT ttgtcacact tgtttgaagt   120
gcagttttatc tatctttata catatattta aactttactc tacgaataat ataattctata   180
gtactacaat aatatcagtg ttttagagaa tcatataaat gaacagttag acatggctta   240
aaggacaatt gagtattttg acaacaggac tctacagttt tatcttttta gtgtgcatgt   300
gttctctctt ttttttgcaa atagcttcac ctatataata ctcatccat tttattagta   360
catccattta gggtttaggg ttaatgggtt ttatagacta atttttttag tacatctatt   420
ttattctatt ttaggctcta aattaaagaaa actaaaacac tattttagtt tttttattta   480
ataatttaga tataaaatag aataaaataa agtgactaaa aattaaacaa atacccttta   540
agaaattaaa aaaactaagg aaacattttt ctgttttcca gtagataatg ccagcctgtt   600
aaacgccgtc gacgagctta acggacacca accagcgaac cagcagcgtc gcgtcgggcc   660
aagcgaagca gacggcacgg catctctgtc gctgcctctg gacccctctc gagagtccg   720
ctccaccgtt ggacttgcct cgcgtcgggc atccagaaat tgcgtggcgg agcggcagac   780
gtgagccggc acggcaggcg gccctctctt cctctcacgg cacggcagct acgggggall   840
cctttccac cgctcttctg ctltcccttc ctgcctcgcc gtaataaata gacacccct   900
ccacaccctc ttltcccaac ctctgttgtt tctggagcga cacacacaca accagatctc   960

```

EP 1 136 560 A1

ccccaaaacc acccgicggc acciccgccl caaggtagcg cgcicgiccl ccccccccc 1020
 cccctctac cttctctaga tggcggtcc ggtccalggf tagggcccg tagttctact 1080
 5 tctgttcaig ttigtgttag atccglttt ggttagatc cgtcgtgcta gcgttcgtac 1140
 accgatgcga cctgtacgtc agacacgttc tgalgtctaa ctigccagt ttctcttltg 1200
 10 gggaatccgt ggalggctcl agccgttccg cagacgggat cgatttcatg attttttttg 1260
 ttctgttgca taggttttg ttgccccll tctttttll caalatatgc cgtgcacttg 1320
 ttgtcgggt catctttica tcttttttt tgccttggtt gtagatgtt ggtcgtgttg 1380
 15 ggcggtcgtt ctatagcgga glagaattct gttcaaact accgttgga ttatattaat 1440
 ttggatcigt atgtgtgtgc calacataat catagttacg aattgaagat galggatgga 1500
 20 aatatcgatc taggataggt atacatgttg atcggggtt tactgatgca tatacagaga 1560
 tgccttttgt tgccttggtt gtagatgtt gggtgtgttg ggcggtcgtt caltcttct 1620
 agatcggagt agaatactgt tcaaactac ctggtgtatt tattaatttt ggaactgtat 1680
 25 gtgtgtgtca tacatcttca tagttacgag tttaagatgg alggaaatat cgatctagga 1740
 taggtataca tgttagtgt ggttttactg atgcataatc atgatggcat atgcagcatc 1800
 talcatatg ctctaacctt ggtacctat ctattataat aaacaagtat gttttataat 1860
 30 tattttgatc ttgatatact tggatgatgg catatgcagc agctataatg ggattttttt 1920
 agccctgctt tcatagcta ttatttgc tggtaactgt tctttgtcg atgtcacc 1980
 35 tgtgttttg tgttacttct gcaggctgac tctagaggat ccgcgtccgg gggcaatgag 2040
 atatgaaaaa gccigaactc accgcgacgt ctgtcgagaa gttctgac gaaaagtctg 2100
 acagcgtctc cgacctgat cagctctcg agggcgaaga atctcgtct ttcagctcg 2160
 40 atgtaggagg gcgtggatat gtcctgcggg taaatagctg cgcctatgtt tctacaaag 2220
 atcgttatgt ttatcggcac ttgcatcgg ccgcgtccc gatccggaa gtgttgaca 2280
 ttggggaatt cagcgagagc ctgacctatt gcatctccc ccgtgcacag ggtgtcacgt 2340
 45 tgcaagacct gccigaaacc gaactgccc ctgtctgca gccgttcg gaggccatgg 2400
 atcgatcgc tggggccgat cttagccaga cgagcgggtt cggcccttc ggaccgcaag 2460
 50 gaatcgttca atacactaca tggcgtgatt tcatatgcgc gattgtgat cccatgtgt 2520
 atcactggca aactgtgat gacgacacc tcatgtctc cgtcgcgag gctctcgaat 2580
 agctatgtt ttgggccgag gactgcccg aagtcggca cctcgtgcac gcggaattcg 2640
 55 gctccaacaa tglctgacg gacaalggcc gcataacagc ggtcatgtac tggagcgagg 2700

EP 1 136 560 A1

cgaiglicgg ggaltcccaa tacgaggicg ccaacalcit cllctlgagg ccgltggllgg 2760
 5 cllgtalggg gcagcagacg cgctacticg agcggaggca tccggagcct gcaggatcgc 2820
 cgccggctccg ggcgtatalg clccgcalig gllctlgacca aciclaicag agcltggllg 2880
 acggcaattt cgalgatgca gcltggggcg agggctcgaig cgacgcaatc glccgatccg 2940
 10 gagccgggac tgcggggcgt acacaaatcg cccgcagaag cgccggccgic tggaccgaig 3000
 gcigtigtaga agtactcgcc gatagtgga accgacgccc cagcactcgt ccgaggggcaa 3060
 aggaatagag tagatgccga ccgaacaacg gatccgicga cctgcagaga tcltcaaac 3120
 15 atttggcaat aaaglticct aagatigaat ccltltgccg gllctlgcat gattatcala 3180
 taatttcgt tgaattacgt taagcatgta ataattaaca tgtaatgcat gacgtlatit 3240
 20 atgagatggg tttttatgat tagagtcccg caattatata tttaatacgc gatagaaaac 3300
 aaaatatagc gcgcaaacia ggataaaita tgcgcgcggg lgtacatcat gttactagat 3360
 cgaigataag cltcaaaaca tgagaattca gtacattaaa aacgtccgca atgtgttatt 3420
 25 aagltgtcta agcgtcaatt tgtttacacc acaatatatc ctgccaccag ccagccaaca 3480
 gclccccgac cggcagctcg gcacaaaatc accactcga. acaggcagcc catcagtcgg 3540
 30 ggaccggcgc agcgggagag ccgtltgaag gcggcagact ttgtcatgt taccgatgt 3600
 attcggaaga acggcaacta agctgccggg ttgaaacac ggatgatctc gcggagggtta 3660
 gcatgttgat tgaacgaig acagagcggt gclgccigig atcaaatatc atctccctcg 3720
 35 cagagatccg aattatcagc cltcttaltc atttclcgct taaccgtgac aggcgtcga 3780
 tcltgagaac tatccgaca taataggaaa tgcgtggata aagccgciga ggaagctgag 3840
 tggcgctatt tclttagaag tgaacgttga cgaicgtcga ccglaccccg atgaattaat 3900
 40 tccgacgtac gllctgaaca cagclggata cltacttggg cgattgtcat acatgacatc 3960
 aacaatgtac ccgtttgtgt aaccgtctcl tggaggltcg latgacacia glggttcccc 4020
 45 tcagcttgcg actagaigtg gaggaattcg atclagtaac atagatgaca ccgcgcgcga 4080
 taatttaacc tagtttgcgc gctatatitit glltctatc gcgtattaaa tgtataatig 4140
 cgggactcta atcataaaaa ccatctcat aaataacgic atgcattaca tgtlaattat 4200
 50 lacatgctta acglaattca acagaaaita tatgataatc atcgcaagac cggcaacagg 4260
 attcaatcct aagaaactit attgccaaat glltgaacga tcaattcgag ctccgtacgc 4320
 aatccccac cgaggctgta gccacgaig gtcgccagg agagtgttg attcatgtt 4380
 55 tgcctccctg clcggtitit taccgaagt tcaigccagt ccagcgltit tgcagcagaa 4440

EP 1 136 560 A1

aagccgccga cttcggtttg cggicgcgag tgaagatccc tticttggta cgcceaacgc 4500
 5 gcaatatgcc ttgcgaggic gcaaaatcgg cgaaatcca taccgttca cgcacgacgg 4560
 cgctgacgcg atcaaagacg cggigataca tatccagcca tgcacaciga tactcttcac 4620
 tccacatgic ggtgtacatt gagtgcagcc cggctaacgt atccacgccc tatcggiga 4680
 10 tgataatcgg ctgatgcagt ttctcttgcc aggccagaag ttcttttccc agtaccttct 4740
 ctgccgttcc caaatcgccg ctttggacat accatccgia ataacggttc aggcacagca 4800
 catcaaagag atcgctgatg gtatcggigt gagcgtcgca gaacattaca ttgacgcagg 4860
 15 tgatcggacg cgtcgggicg agtttacgag ttgttccgc cagtggcgaa atattccgt 4920
 gcacttgcgg acgggtatcc ggttcgttgg caatactcca catcaccacg cttgggttgg 4980
 20 ttttgcacg cgctatcagc tcttaatcg cctglaagtg cgcttgciga gtttccccgt 5040
 tgactgcctc ttgcgtgac agttctttcg gcttgttgc cgcttcgaaa ccaatgccta 5100
 aagagagggt aaagccgaca gcagcagttt catcaatcac cagcatgcca tgttcatctg 5160
 25 cccagtcgag catctcttca gcgtlaaggtt aatgcgaggt acggtaggag ttggcccca 5220
 tccagtcctt taatgcgttg tctgtcacca tcagcacgtt atcgaatcct ttgccacgia 5280
 agtccgcata ttcatgacga ccaaagccag taaagttaga cggtttggg ttaatcagga 5340
 30 actgttcgcc ctctactgcc actgaccgga tgcgacgcg aagcgggtag atatcacact 5400
 ctgtctggct ttggctgtg acgcacagtt catagagata accttcacc ggttgcaga 5460
 35 gggtcggatt caccacttgc aaagtccgc tagtgccttg tccagtigca accacctgtt 5520
 gatccgcata acgcagtcca acgtgacat caccattggc caccacctgc cagicaacag 5580
 acgcgtgggt acagcttgc gcgacatgcg tcaccacggt gatctgtcc acccagggtt 5640
 40 tggcgiggt gttagagcatt acgtcgcgat ggattccggc atagttaaag aaatcatgga 5700
 agtaagactg cttttcttg cgttttctg cggtaatcac cattcccggc gggatagct 5760
 gccagttag ttctgttgc acacaaacgg tgatactac acttttccc gcaataacat 5820
 45 acggcgtgac atcggcttca aatggcgtat agccgccctg atgtccatc acttctgat 5880
 tattgacca cacttgcg taatgagtga ccgcatgaa acgcagcacg atacgttggc 5940
 50 ctgcccaccc ttctggtata aagacttgc gctgatacca gacgttccc gcataattac 6000
 gaatactgc atcggcgaac tgatcgttaa aactgcctgg cacagcaat gcccggtt 6060
 ctgttaacgc gctttccac caacgtgat caattccaca gtttgcga tccagactga 6120
 55 atgcccacag gccgtcagat ttttgattt caggggttgg ggtttctaca ggacggacga 6180

EP 1 136 560 A1

gtcgacgggt cigaaciat calcalcalc atagacacac gaaataaagt aatcagattt 6240
 5 tcagttaaag ctatgiaata lllacaccai aaccaatcaa ttaaaaaata galcagittt 6300
 aagaaagatc aaagctcaaa aaaataaaaa gagaaaaggg tccaaaccaa gaaaatgaag 6360
 gagaaaaact agaaatllac cctgtaggga tccatgttct aggatctggt tglgtgtgtg 6420
 10 tgcgtccga acaacacgag gltggggaaa gaggggtgtg aggggtgtc lallatllac 6480
 ggccggcgag gaagggaag cgaaggagcg gltggaaagg aalccccgt agctgccgtg 6540
 ccgtgagagg aggaggaggc cgctgccgt gccggctcac gtcgccgt cgcacacgca 6600
 15 allcttggt gccgacagcg gagcaagtc aacggtggag cggaactct gagaggggtc 6660
 cagaggcagc gacagagatg ccgtgccgt tgcctcgt ggcccgacgc gacgtgtgtg 6720
 20 gtctgtgtt lgtgtccgt tagactgtc gacggcgtt aacaggctgg cattatctac 6780
 tcgaaacaag aaaaatgtt ccttagttt tllaattct taaagggtat tgltttaatt 6840
 tllagtcact ttatllatll ctatllatll tctaaatll taaataaaaa aactaaaaa 6900
 25 gagttttagt ttcttaatt tagaggctaa aatagaataa aatagatgla ctaaaaaat 6960
 tagtctataa aaaccattaa ccctaaacc taaatggatg tactaataaa atggatgaag 7020
 tattatatag gigaagctat ttgcaaaaaa aaaggagaac acatgcacac taaaaagata 7080
 30 aaactgtaga gtctgtgt caaaatact aattgtctt tagaccatgt ctaactgtc 7140
 atttataaga ttctcaaaa cactgatatt attgtgtac tatagattat attatctga 7200
 35 gagtaaagtt taaatatag tataaagata gataaactgc actcaaca agtgtgacaa 7260
 aaaaaatag tggtaattt ttataactta gacatgcaat gctcattat tclagagagg 7320
 ggcacgaccg ggtcacgtg cactgcaggc atgcaagct ctaacattt attagagagc 7380
 40 aggctagtgt cttagataca tgatcttcag gccgttatct gtcagggcaa gcgaaaatg 7440
 gccattatg acgaccaatg ccccgagaa gctcccatct ttgcccat agacgccgcg 7500
 45 ccccccttt ggggtgtaga acatccctt gccagatgt gaaaagaagt tctgtgtccc 7560
 attgttggca atgacgtgt agccggcgaa agtgcgagac ccatttgcgc tatatataag 7620
 cctacgattt ccgttgcgac lallgtcgt attggtgaa ctattatgt agtgtctct 7680
 50 agagtgtcg taattgatg gactatgtc gtaattgtt atggagtgt cgtagtgtc 7740
 tggagaaatg tctagtgtg atggggagta gtcataggga agacgagct calccactaa 7800
 aacaattggc aggtcagcaa gtgcctgcc cgtgccalc gcaagiacga ggcttgaac 7860
 55 cacctcaac agatcgcga tagtctccc cagctctca acgttgagt taagccgcgc 7920

EP 1 136 560 A1

	cgcggaagcgg cgicggcctg aacgaatgt tagacattat ttgccgacta ccttgggtgat	7980
5	ctcgcccttc acglagttaa caaatcttc caactgatct gcgcgcgagg ccaagcgatc	8040
	ttcttgtcca agataagcct gcctagcttc aagtagacg ggctgatact gggccggcag	8100
	gcgcctccat gccagtcgg cagcgacatc cticggcgcg attttgccgg ttactgcgct	8160
10	gtaccaaalg cgggacaacg taagcactac atttcgctca tcgccagccc agtcgggcgg	8220
	cgagttccat agcgtaagg ttcatattag cgccataaat agatcctgtt caggaaccgg	8280
	atcaaagagt tcttcgccg ctggacctac caaggcaacg ctatgttctc ttgcttttgt	8340
15	cagcaagata gccagatcaa tgcgatcgt ggctggctcg aagatacctg caagaatgtc	8400
	attgcgcgc cattctccaa attgcagttc gcgcttagct ggataacgcc acggaatgat	8460
20	gtcgtcgtgc acaacaatgg tgacttctac agcgcggaga atctcgctct ctccagggga	8520
	agccgaagtt tccaaaaggt cgtgatcaa agctcgccgc gttgtttcat caagccttac	8580
	ggtcaccgta accagcaaat caatctact gtgtggcttc aggccgcat ccactgcgga	8640
25	gccgtacaaa tgtacggcca gcaacgtcgg ttcgagatgg cgctcgatga cgccaactac	8700
	ctctgatagt tgagtcgata cticggcgat caccgcttcc ctcatgatgt ttaactctg	8760
30	aatlaagccg cgccggaag cgggtgcggc ttgaatgaat tgttaggcgt catcctgtgc	8820
	tcccgagaac cagtaccagt acatcgctgt ttctgtcgag acttgaggtc tagttttata	8880
	cgltaacagg tcaatgccgc cgagagtaaa gccacatttt gcgtacaaat tgcaggcagg	8940
35	tacatgttct gtttgtgtct ctatcgtat gccaaaggagc tglctgttta gtgcccactt	9000
	tttcgcaaat tcgatgagac tgtgcgcgac tctttgcct cggctcggtgt gcgacacaac	9060
	aatgtgttcg atagaggcta galcgttcca tgttagattg agttcaatct tcccgacaag	9120
40	ctcttggctg atgaatgcgc catagcaagc agagcttca tcagagtcct catccgagat	9180
	glaatccttc cgttaggggc tcacacttct ggttagatagt tcaaagcctt ggtcggatag	9240
45	gtgcacatcg aacacttcac gaacaatgaa atggttctca gcatccaatg tticcgccac	9300
	ctgctcaggg atcaccgaaa tcttcalatg acgcctaacg cctggcacag cggatcgcaa	9360
	accitggcgc gcttttggca caaaaggcgt gacaggtttg cgaatccgtt gctgccactt	9420
50	gttaaccctt ttgccagatt tggtaactat aatttaatt agaggcgaag tcttgggttaa	9480
	aaactggcct aaaaattgtg gggatttcag gaaagttaa acatcaccttcc ggctcgatgt	9540
	ctatgtlaga tatatgtat glacttactt gatcggggga tctgtgtctt cgcgcgcttc	9600
55	ggtgatgacg gtagaaaacct ctgacacatg cagctcccgg agacggtcac agcttgtctg	9660

EP 1 136 560 A1

1aagcggatg ccgggagcag acaagcccg t cagggcgct cagcgggtgt tggcgggtgt 9720
 cggggcgag ccaigaccca gtcacgtagc galagcggag tgtatctgg cttactatg 9780
 5 cggcaltcaga gcagattgta ctgagagtc accatctcg gtgtgaaata ccgcacagat 9840
 gcglaaggag aaaataccgc atcaggcgct ctccgcctc ctgcctcact gactcgctgc 9900
 10 gctcggctgt tggctgcgg cgagcggta cagctacac aaaggcggta atacggttat 9960
 ccacagaatc aggggataac gcaggaaaga acatgtgagc aaaaggccag caaaaggcca 10020
 ggaaccgtaa aaaggccggt ttgtggcgt ttttccatag gctccgcccc ctgacgagc 10080
 15 atcacaaaaa tgcagctca agtcagaggt ggcgaaacc gacaggacta taaagatacc 10140
 aggcgtttcc ccttggaaac tccctcgtgc gctcctcgt tccgacctg ccgtttaccg 10200
 gatacctgc cgcctttc ccttcgggaa gctggcgct ttctcatagc taccgtctga 10260
 20 ggtatctcag ttcggtgtag gtcgttcgt ccaagctggg ctgtgtgcac gaaccccccg 10320
 ttacgcccga ccgtcgcgc ttatccggta actatcgtct tgagttcaac ccggtlaagac 10380
 25 acgacttatc gccactggca gcagccactg gtaacaggat tagcagagcg aggtatgtag 10440
 gcggigtctac agagtcttg aagtggtggc ctactacgg ctacactaga aggacagtat 10500
 ttgttatctg cgtctcgtc aagccagta ccttcggaaa aagagtgtgt agctctttat 10560
 30 ccggcaaaaa aaccaccgtt ggtagcgggt gttttttgt ttgcaagcag cagattacgc 10620
 gcagaaaaaa aggatctcaa gaagatctt tgatctttc tacggggtct gacgtcagt 10680
 35 ggaacgaaaa ctacgttaa gggattttg tcatgagatt atcaaaaagg atcttcacct 10740
 agatctttt aaattaaaa tgaagttaa aaatcaatca aagtalatat gattaaactt 10800
 ggctgacag ttaccaatgc ttaatcagtg aggcacctat ctacagcgtc tgtctatttc 10860
 40 gtatcatcat agttgcctga ctccccgtc tgtagataac tacgatacgg gagggcttac 10920
 catctggccc cagtctgca atgataccgc gagaccacg ctaccggct ccagatttat 10980
 cagcaataaa ccagccagcc ggaagggcgg agcgagaag tggctctgca actttatccg 11040
 45 ctccatcca gctattaat ttgtccggg aagctagagt aagtagttc ccagttata 11100
 gtgtgcgaa cgttgttgc attgtcagc gggggggggg ggggggggac ttccattgtt 11160
 50 catccacgg aaaaaacag agaaaggaaa cgacagagc caaaaagcct cgttttcagc 11220
 acctgtgtt tctttctt ttagagggtt ttttaataa aaacattag ttatgacgaa 11280
 gaagaacgga aacgcttaa accggaaa tttcataaa agcgaaaacc cgcgaggtcg 11340
 55 ccgccccgtt acctgtcga taccggaaa ggaccgtaa agtgataatg attatcatct 11400

acataacaca acgtgcgigg aggccatcaa accacgicaa ataatcaatt atgacgcagg 11460
 tatcgtatla atlgatcigc atcaacttaa cglaaaaaaca acitcagaca atacaaatca 11520
 5 gcgacaciga atacggggca acctcatgic cccccccccc cccccctgc aggcatcgig 11580
 gtgtcagcgt cgicgtttgg tatggcttca ttacgctccg gtccccaacg atcaaggcga 11640
 10 gtatcatgat ccccatggt gigcaaaaaa gcgggttagct ccttcgggcc tccgatcggt 11700
 gtcagaagta agttggccgc agtgttatca ctcatggta tggcagcact gcataattct 11760
 ctactgicac tgcacccgt aagaigcttt tctgtgactg gtgagtacac aaccaagtca 11820
 15 ttctgagaat agtgtatcg gcgaccgagt tgccttgcc cggcgicac acgggataat 11880
 accgcgccac atagcagaac tttaaaagtg ctcatcattg gaaaacgttc ttcggggcga 11940
 aaacitcaca ggtatctacc gctgttga tccagttcga tgaaccac tctgtcacc 12000
 20 aactgatctt cagcatcttt tacttacc agcgttctg ggtgagcaaa aacaggaagg 12060
 caaaatgccg caaaaaaggg aataaggcg acacggaaat gtgaatact catactcttc 12120
 25 cttttcaat attatigaag catttatcag ggttatgtc tcatgagcgg atacataat 12180
 gaatglatit agaaaaataa acaaataggg gtccgcgcga catttccccg aaaagtcca 12240
 cctgacgtct aagaaccat tattatcatg acattacct alaaaaatag gcgtatcacg 12300
 30 aggccctttc gcttcaaga attggtcgac gatcttgctg cgttcggata ttttcgtgga 12360
 gtcccgcca cagaccgga ttgaaggcga gatccagca ctcgcgcag atcatcctgt 12420
 35 gacggaactt tggcgcgiga tgactggcca ggacgtcggc cgaaagagcg acaagcagat 12480
 cagccttttc gacagcgtcg gatttgcgat cgaggatttt tggcgcgic gctacgtccg 12540
 cgaccgcgtt gagggatcaa gccacagcag cccactcgac ctcttagccg acccagacga 12600
 40 gccaaaggat ctttttgga tgcgtctccg tctcaggct tccgacgtt tgggtgttg 12660
 aacagaagtc attatcgtac ggaatgccaa gcactccga ggggaacct gtggttggca 12720
 tgcacalaca atggacgaa cggataaacc tttcacgcc ctittaaata tccgtatct 12780
 45 taataaacgc tctttctct laggtttacc cgccaalata tctgtcaaa cactgatagt 12840
 ttaaactigaa ggccgggaaac gacaatciga tcatgagcgg agaattaaagg gactcacgtt 12900
 50 atgacccccg ccgatgacgc gggacaagcc gttttacgtt tggaaatgac agaaccgcaa 12960
 cgttgaagga gccactcagc cc 12982

55 <210> 2

<211> 90

<212> DNA

<223> LB sequences are 1-25 and 55-70.

<400> 2

ATTTACAATT GAATATATCC TGCCGccgct gccgctttgc acccgATTTA CAATTGAATA 60

TATCCTGCCG ccgctgccgc ttgcacccg 90

<210> 3

<211> 90

<212> DNA

<400> 3

cgggtgcaaa gcggcagcgg cggcaggata tatcaattg laaatcgggt gcaaagcggc 60

agcggcggca ggatatattc aattgtaaat 90

<210> 4

<211> 25

<212> DNA

<400> 4

catctctcgc ttaaccgiga caggc 25

<210> 5

<211> 25

<212> DNA

<400> 5

aaaccgcagc agggaggcaa acaat 25

Claims

1. A plant transformation vector based on the function of *Agrobacterium*, wherein the left border sequence has been modified such as to reduce the possibility of the integration of any non-T-DNA segment into plant chromosomes.
2. A plant transformation vector comprising a right border sequence and a left border sequence that can be recognized by the *vir* proteins of *Agrobacterium*, a T-DNA region located between these border sequences and into which a

EP 1 136 560 A1

gene to be introduced into the plant can be inserted, and a replication origin that enables replication of said vector in bacteria, wherein said left border sequence has been modified such as to reduce the possibility of integration of any non-T-DNA segment into plant chromosomes.

- 5 3. The plant transformation vector according to claim 1 or 2, wherein the modification of the left border sequence comprises more than one left border sequence.
4. The plant transformation vector according to any one of claims 1 to 3, wherein the T-DNA sequence contains a marker gene that permits the selection of the transformant.
- 10 5. The plant transformation vector according to any one of claims 1 to 4, wherein the replication origin permits replication of the vector in bacteria including bacteria for vector amplification and *Agrobacterium*.
- 15 6. A method of transforming plants comprising using an *Agrobacterium* host cell containing the vector according to any one of claims 1 to 5.
7. A plant transformed by the method of claim 6.

20

25

30

35

40

45

50

55






Fig. 1

pSLB0



pSLB2



pSLB3




Fig. 2

INTERNATIONAL SEARCH REPORT

International application No.

PCT/JP99/05386

A. CLASSIFICATION OF SUBJECT MATTER Int.Cl ⁷ C12N 15/82, A01H 5/00		
According to International Patent Classification (IPC) or to both national classification and IPC		
B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) Int.Cl ⁷ C12N 15/00-15/90		
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched		
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) BIOSIS (DIALOG), WPI (DIALOG)		
C. DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	Plant Molecular Biology, 34, 1997 Allan Wenck et al., "Frequent collinear long transfer of DNA inclusive of the whole binary vector during Agrobacterium-mediated transformation" pp.913-922	1-7
A	Proc. Natl. Acad. Sci. USA, 83, 1986 Horsch RB et al., "Rapid assay of foreign gene expression in leaf discs transformed by Agrobacterium tumefaciens: role of T-DNA borders in the transfer process" pp.4428-4432	1-7
A	Plant Cell, 6, 1994 Martineau B. et al., "On defining T-DNA" pp.1032-1033	1-7
A	Proc. Natl. Acad. Sci. USA, 83, June 1986 George C. Jen et al., "The right border region of pTiT37 T-DNA is intrinsically more active than the left border region in promoting T-DNA transformation" pp.3895-3899	1-7
<input checked="" type="checkbox"/> Further documents are listed in the continuation of Box C. <input type="checkbox"/> See patent family annex.		
* Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed		"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art "&" document member of the same patent family
Date of the actual completion of the international search 17 December, 1999 (17.12.99)		Date of mailing of the international search report 28 December, 1999 (28.12.99)
Name and mailing address of the ISA/ Japanese Patent Office		Authorized officer
Facsimile No.		Telephone No.

Form PCT/ISA/210 (second sheet) (July 1992)

INTERNATIONAL SEARCH REPORT

International application No.

PCT/JP99/05386

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	Cell, 57, June 2, 1989 Guus Bakkeren et al., "Recovery of Agrobacterium tumefaciens T-DNA molecules from whole plants early after transfer", pp.847-857	1-7
A	Database BIOSIS on DIALOG, No.199900483906 Hanson Bill et al., "A simple method to enrich an Agrobacterium-transformed population for plants containing only T-DNA sequences", Plant Journal, 19(6), September, 1999, pp.727-734	1-7
A	Database BIOSIS on DIALOG, No.199598547959 Ramanathan V. et al., "Transfer of non-T-DNA portions of the Agrobacterium tumefaciens Ti plasmid pTiA6 from the left terminus of T-L-DNA", Plant Molecular Biology, 28(6), 1995, pp.1149-1154	1-7

Form PCT/ISA/210 (continuation of second sheet) (July 1992)